

Sika ViscoCrete-2850 con 35% SPL BE

DECLARATION OF PERFORMANCE

No. 99589411

| | | |
|----|--|---|
| 1 | UNIQUE IDENTIFICATION CODE OF THE PRODUCT-TYPE: | 99589411 |
| 2 | INTENDED USES | High range water reducing / super plasticizing admixture for concrete at equal consistence (Tab. 3.1) and at equal w/c ratio (Tab. 3.2) |
| 3 | MANUFACTURER: | Sika Services AG Tüffenwies 16-22 8064 Zürich |
| 4 | AUTHORISED REPRESENTATIVE: | |
| 5 | SYSTEM OF AVCP: | System 2+ |
| 6a | HARMONISED STANDARD: | EN 934-2:2009+A1:2012 |
| | Notified body: | 0965 |

Declaration of Performance

Sika ViscoCrete-2850 con 35% SPL BE

99589411

2026.01 , ver. 1

1707

7 DECLARED PERFORMANCES

| Essential Characteristics | Performance | AVCP | Harmonized Technical Specification |
|-------------------------------|--|-----------|------------------------------------|
| Chloride ion content | ≤ 0,1 % | System 2+ | |
| Alkali content | ≤ 0,5 % | System 2+ | |
| Corrosion behavior | Contains components only from EN 934-1:2008, Annex A.1 | System 2+ | |
| Compressive strength | At 1 day: Test mix ≥ 140 % of control mix At 28 days: Test mix ≥ 115 % of control mix | System 2+ | EN 934-2:2009+A1:2012 |
| Air content in fresh concrete | ≥ 2 % above control mix | System 2+ | |
| Water reduction | ≥ 12 % compared with control mix | System 2+ | |
| Consistency | Pass | System 2+ | |
| Dangerous substances | NPD | System 2+ | |
| Durability | NPD | System 2+ | |

8 APPROPRIATE TECHNICAL DOCUMENTATION AND/OR - SPECIFIC TECHNICAL DOCUMENTATION

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Name : Glenn Puystjens
Function: Team Lead Technical Service
At Ham on 23 February 2026

Name : Harry Verstappen
Function: Product Engineer Concrete
At Ham on 23 February 2026




.....

End of information as required by Regulation (EU) No 305/2011





26

Sika Services AG, Zürich, Switzerland

DoP No. 99589411

EN 934-2:2009+A1:2012

Notified Body 0965

High range water reducing / super plasticizing admixture
for concrete at equal consistence (Tab. 3.1) and at equal w/c ratio (Tab. 3.2)

| | |
|-------------------------------|--|
| Chloride ion content | ≤ 0,1 % |
| Alkali content | ≤ 0,5 % |
| Corrosion behavior | Contains approved substances according to EN 934-1: 2008 Annex A1 Does not contain declared substances according to EN 934-1: 2008 Annex A2 |
| Compressive strength | Pass |
| Air content in fresh concrete | Pass |
| Water reduction | Pass |
| Consistency | Pass |

<http://dop.sika.com>

Declaration of Performance

Sika ViscoCrete-2850 con 35% SPL BE
99589411
2026.01 , ver. 1
1707

ECOLOGY, HEALTH AND SAFETY INFORMATION (REACH)

For information and advice on the safe handling, storage and disposal of chemical products, users shall refer to the most recent Safety Data Sheet (SDS) containing physical, ecological, toxicological and other safety related data.

LEGAL NOTE

The information, and, in particular, the recommendations relating to the application and end-use of Sika products, are given in good faith based on Sika's current knowledge and experience of the products when properly stored, handled and applied under normal conditions in accordance with Sika's recommendations. In practice, the differences in materials, substrates and actual site conditions are such that no warranty in respect of merchantability or of fitness for a particular purpose, nor any liability arising out of any legal relationship whatsoever, can be inferred either from this information, or from any written recommendations, or from any other advice offered. The user of the product must test the products suitability for the intended application and purpose. Sika reserves the right to change the properties of its products. The proprietary rights of third parties must be observed. All orders are accepted subject to our current terms of sale and delivery. Users must always refer to the most recent issue of the local Product Data Sheet for the product concerned, copies of which will be supplied on request.

Sika Services AG
Tüffenwies 16-22
8064 Zürich
Switzerland
www.sika.com

Declaration of Performance
Sika ViscoCrete-2850 con 35% SPL BE
99589411
2026.01 , ver. 1
1707